

MARIS 8112

Firefighting glove combining Nomex® materials, aramid knit and FR membrane Porelle®. Our patented HiPro technology protects the entire back of the hand against strike and guarantees unique protection against radiant heat.



MARIS Flexi Navy Blue



MARIS Easy Beige



MARIS Evo Red



MARIS Short Navy Blue



MARIS Long Beige

PRODUCT DESCRIPTION

MARIS Flexi		Navy Blue	8112-01
MARIS Evo		Navy Blue	8112-02
MARIS Easy		Navy Blue	8112-03
MARIS Long		Navy Blue	8112-04
MARIS Short		Navy Blue	8112-05

MARIS Flexi		Beige	8112-11
MARIS Evo		Beige	8112-12
MARIS Easy		Beige	8112-13
MARIS Long		Beige	8112-14
MARIS Short		Beige	8112-15

MARIS Flexi		Red	8112-21
MARIS Evo		Red	8112-22
MARIS Easy		Red	8112-23
MARIS Long		Red	8112-24
MARIS Short		Red	8112-25

UPPER MATERIAL:

- **Back:** Nomex® fabric with hydrophobic and oleophobic treatment, which is reinforced with ceramic coating in exposed areas.
- **Palm:** Meta-aramid / Para-aramid knit with silicone coating.

INTERLAYERS:

- Insulating layer - Recycled aramid non-woven fabric.
- HiPro® reinforcement - Hidden Protection - special construction of the inner layer made of PORON®XRD™.
- Membrane - FR Porelle®.

LINING:

- Aramid lining.

STANDARDS:

- EN 659:2003+A1:2008



EUROMAST SARL

Distributeur officiel

Tél : 33 4 79 34 92 15 E-mail : info@materiel-pompier.com

Adresse : Savoie Hexapôle, 101 Rue Louis Armand, 73420 Mery, France

Web: www.materiel-pompier.com



Co-funded by
the European Union

MARIS 8112

CUFFS:

- **Flexi** – Cuff made of flame retardant knitted fabric with stable internal elasticity.
- **Evo** – Nomex cuff with additional internal knitted cuff.
- **Easy** – Nomex fabric cuff.
- **Long** – Extended cuff made of Nomex fabric and with Velcro strap.
- **Short** – Basic cuff made of Para-Aramid knitting.

OTHER INFORMATION:

- HiPro® doubles the protection against radiant heat compared to conventional textile gloves.
- Anatomical glove cut.
- Reflective elements, high-visible Nomex®.
- Carabiner for hanging the gloves to the garment.


Measurement type:	Results :
Abrasion resistance	4
Blade cut resistance (palm)	5
Tear resistance	4
Puncture resistance	3
Burning behaviour	Pass
Convection heat resistance	Pass
Radiant heat resistance	Pass
Contact heat resistance	Pass
Dexterity	5

SIZE ASSORTMENT:

 cm	15,2-16,5	16,5 - 19	19 - 21,6	21,6 - 24,2	24,2 - 26,7	26,7 - 29,2	29,2 - 30,4	30,4-32,9
velikost	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	12 (3XL)	13 (4XL)

CARE & MAINTENANCE:

Choose a more ecological short washing program at 40 °C. Wash at a maximum temperature of 60 °C if you need to disinfect the gloves or they are extremely dirty.



RECOMMENDED USE: Remove, clean and dry after each use. Before washing, fasten the Velcro fasteners and remove the snaps. Use a liquid detergent. Wash on a short programme.

TO MAKE THE GLOVE FIT BETTER: Shape the glove several times after washing and during drying. Do not dry in direct sunlight or heat sources, do not use a tumble dryer. Store the gloves in a dry environment.

RECOMMENDED USE:

Holík Washing Gel

The washing gel is natural based for leather and textile gloves with high washing efficiency. It reduces bacteria, does not pollute the environment and is fully biodegradable (Eco-Friendly).



Impregnation spray Holík

A highly effective impregnating spray for leather and textiles that protects against moisture, water, oil and dirt while maintaining the breathability of the material. Apply the impregnation in a thin layer on dry product and allow to dry for at least 12 hours.

For more about Washing & Maintenance, visit:

www.holik-international.com > [Technologies](#) > [Care&Maintenance](#)

MARIS 8112

Firefighting glove combining Nomex® materials, aramid knit and FR membrane Porelle®. Our patented HiPro technology protects the entire back of the hand against strike and guarantees unique protection against radiant heat.



MARIS Flexi Navy Blue



MARIS Easy Beige



MARIS Evo Red



MARIS Short Navy Blue



MARIS Long Beige

PRODUCT DESCRIPTION

MARIS Flexi		Navy Blue	8112-01
MARIS Evo		Navy Blue	8112-02
MARIS Easy		Navy Blue	8112-03
MARIS Long		Navy Blue	8112-04
MARIS Short		Navy Blue	8112-05

MARIS Flexi		Beige	8112-11
MARIS Evo		Beige	8112-12
MARIS Easy		Beige	8112-13
MARIS Long		Beige	8112-14
MARIS Short		Beige	8112-15

MARIS Flexi		Red	8112-21
MARIS Evo		Red	8112-22
MARIS Easy		Red	8112-23
MARIS Long		Red	8112-24
MARIS Short		Red	8112-25

UPPER MATERIAL:

- **Back:** Nomex® fabric with hydrophobic and oleophobic treatment, which is reinforced with ceramic coating in exposed areas.
- **Palm:** Meta-aramid / Para-aramid knit with silicone coating.

INTERLAYERS:

- Insulating layer - Recycled aramid non-woven fabric.
- HiPro® reinforcement - Hidden Protection - special construction of the inner layer made of PORON®XRD™.
- Membrane - FR Porelle®.

LINING:

- Aramid lining.

STANDARDS:

- EN 659:2003+A1:2008

EN 659



EUROMAST SARL

Distributeur officiel

Tél : 33 4 79 34 92 15 E-mail : info@materiel-pompier.com

Adresse : Savoie Hexapôle, 101 Rue Louis Armand, 73420 Mery, France

Web: www.materiel-pompier.com



Co-funded by
the European Union

MARIS 8112

CUFFS:

- **Flexi** – Cuff made of flame retardant knitted fabric with stable internal elasticity.
- **Evo** – Nomex cuff with additional internal knitted cuff.
- **Easy** – Nomex fabric cuff.
- **Long** – Extended cuff made of Nomex fabric and with Velcro strap.
- **Short** – Basic cuff made of Para-Aramid knitting.

OTHER INFORMATION:

- HiPro® doubles the protection against radiant heat compared to conventional textile gloves.
- Anatomical glove cut.
- Reflective elements, high-visible Nomex®.
- Carabiner for hanging the gloves to the garment.

Measurement type:	Results :
Abrasion resistance	4
Blade cut resistance (palm)	5
Tear resistance	4
Puncture resistance	3
Burning behaviour	Pass
Convection heat resistance	Pass
Radiant heat resistance	Pass
Contact heat resistance	Pass
Dexterity	5

SIZE ASSORTMENT:

 cm	15,2-16,5	16,5 - 19	19 - 21,6	21,6 - 24,2	24,2 - 26,7	26,7 - 29,2	29,2 - 30,4	30,4-32,9
velikost	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	12 (3XL)	13 (4XL)

CARE & MAINTENANCE:

Choose a more ecological short washing program at 40 °C. Wash at a maximum temperature of 60 °C if you need to disinfect the gloves or they are extremely dirty.



PROCEDURE: Remove coarse dirt after each use. Before washing, fasten the Velcro fasteners and remove the snaps. Use a liquid detergent. Wash on a short programme.

TO MAKE THE GLOVE FIT BETTER: Shape the glove several times after washing and during drying. Do not dry in direct sunlight or heat sources, do not use a tumble dryer. Store the gloves in a dry environment.

RECOMMENDED USE:

Holík Washing Gel

The washing gel is natural based for leather and textile gloves with high washing efficiency. It reduces bacteria, does not pollute the environment and is fully biodegradable (Eco-Friendly).



Impregnation spray Holík

A highly effective impregnating spray for leather and textiles that protects against moisture, water, oil and dirt while maintaining the breathability of the material. Apply the impregnation in a thin layer on dry product and allow to dry for at least 12 hours.

For more about Washing & Maintenance, visit:

www.holik-international.com > [Technologies](#) > [Care&Maintenance](#)